

New York State Department of Health

PEF-2096

CLIA: 3SD0173819

Clinical Laboratory Permit

ACM Medical Laboratory Inc - Long Pond

1555 Long Pond Road
Rochester NY 14626

Director: John P. D'Souza, MD

Owner: PRH Inc

is hereby authorized to perform laboratory procedures at the above location in the following categories in accordance with Article 5, Title V, Section 575 of the Public Health Law. This permit shall become void upon a change in the director, owner or location of the laboratory, and an application for a new permit shall be made to the Department.

<i>Bacteriology</i>	<i>Diagnostic Immunology</i>	<i>Immunohematology</i>
<i>Gram Stains</i>	<i>Diagnostic Services Serology</i>	<i>Mycology</i>
<i>Other</i>	<i>Endocrinology</i>	<i>Restricted</i>
<i>(for blood culture screening)</i>	<i>Hematology</i>	<i>Toxicology</i>
<i>Restricted</i>	<i>Cellular Hematology</i>	<i>Clinical Toxicology - Initial Testing Only</i>
<i>Blood pH and Gases</i>	<i>Coagulation</i>	<i>Ther. Sub. Mon. Quant. Tox.</i>
<i>Blood Services</i>	<i>Cytohematology Diagnostic</i>	<i>Urinalysis</i>
<i>Collection - Autogeneous Only</i>	<i>Histopathology</i>	<i>Urine Pregnancy Testing</i>
<i>Transfusion</i>	<i>General</i>	<i>Virology</i>
<i>Clinical Chemistry</i>	<i>Human Immunodeficiency Virus</i>	<i>Direct Antigen Detection</i>
<i>Cytopathology</i>	<i>Screening Tests Only</i>	<i>Wet Mounts</i>
<i>Gynecological Testing not including HPV</i>		
<i>Non-gynecological Testing</i>		

Renewal

Effective Date: July 1, 2009

Expiration Date: June 30, 2010

Subject to Revocation
Permit Not Transferable

POST CONSPICUOUSLY

Serial LAP 45221