

New York State Department of Health

PFE 2079

Clinical Laboratory Permit

CLIA: 33D0654949

ACM Medical Laboratory Inc

160 Elmgrove Park

Rochester NY 14624

Owner: P R H Incorporated

Director: John P. D'Souza, M.D.

is hereby authorized to perform laboratory procedures at the above location in the following categories in accordance with Article 5, Title V, Section 575 of the Public Health Law. This permit shall become void upon a change in the director, owner or location of the laboratory, and an application for a new permit shall be made to the Department.

- Bacteriology
 - General
 - Cellular Immunology
 - T-Lymphoid Immunophenotyping
- Clinical Chemistry
- Diagnostic Immunology
- Diagnostic Services Serology
- Donor Services Serology
- Endocrinology
- Hematology
- Cellular Hematology
- Coagulation
- Cytohematology Diagnostic
- Human-Immunodeficiency Virus Screening Tests Only
- Viral Identification
- Mycobacteriology
- General Microbiology
- Direct Detection
- General Oncology
- Soluble Tumor Markers
- Parasitology
- General Toxicology
- Blood Lead
- Clinical Toxicology-Comprehensive
- Forensic Toxicology-Comprehensive
- Trace Elements
- Ther. Sub. Mon./Quant. Tox.
- Urinalysis
- Urine Pregnancy Testing
- Virology
- General

Renewal

Effective Date: July 1, 2009

Expiration Date: June 30, 2010

Subject to Revocation
Permit Not Transferable

POST CONSPICUOUSLY

Serial LAP 45216